

## Technical Specification

### Rear Cylinder Series

Model Nos.	Tonnage Mt	Bending Capacity (In mm) In MS UTS 45 Kg/mm2	Table Size (In mm)	Clear Passing (In mm)	Ram Strockes (In mm)	Open Height (In mm)	Closed Height (In mm)	Throat Depth (In mm)	300Ram Speeds mm/sec			Motor (KW) HP	Over all Dimensions			
									Approcach	Pressing	Return		Length (In mm)	Width (In mm)	Height (In mm)	Weight (In mm)
KBR 320	30	2 x 2000	125 x 2000	1700	100	280	180	200	30	7	30	(2.5)3	2200	1110	1750	2500
KBR 425	40	2 x 2500	125 x 2000	2000	100	280	180	200	50	6	50	(2.5)5	2650	1250	1800	3000
KBR 520	50	3 x 2000	170 x 2000	1500	100	280	180	200	48	6	48	(3.75)5	2200	1300	1825	3000
KBR 525	50	2.5 x 2500 3 x 2500 (32mm "V")	170 x 2500	2000	100	280	180	200	48	6	48	(3.75)5	2700	1300	1825	3500
KBR 625	60	3.15 x 2500	170 x 2500	2000	150	330	180	200	36	5	36	(3.75)5	2700	1400	2050	3700
KBR 825	80	4 x 2500	170 x 2500	2000	150	350	200	200	28	5	30	(3.75)5	2700	1550	2180	4500
KBR 830	80	3.15 x 3000 4 x 2500	170 x 3000	2500	150	350	200	200	28	5	30	(3.75)5	3250	1550	2180	5000
KBR 1025	100	5 x 2500	170 x 2500	2000	150	350	200	200	38	5	38	(7.5)10	2700	1600	2180	5200
KBR 1030	100	4 X 3000 5 x 2500	170 x 3000	2500	150	350	200	200	38	5	60	(7.5)10	3250	1600	2180	6000
KBR 1230	125	5 x 3000 6 x 2500	220 x 3000	2500	150	350	200	300	30	5	60	(11.25)15	3250	1800	2350	7000
KBR 1240	125	6 x 2500 5 x 3000 4 x 4000	220 x 4000	3000	150	350	200	300	30	5	60	(11.25)15	4250	1800	2350	8000
KBR 1630	160	8 x 2500 6 x 3000	220 x 3000	2500	150	350	200	300	30	5	60	(15)20	3250	1850	2450	8800
KBR 1640	160	8 x 2500 6 x 3000 5 x 4000	220 x 4000	3000	150	350	200	300	30	5	50	(15)20	4250	1850	2450	9800
KBR 2030	200	8 x 3000 10 x 2500	220 x 3000	2500	200	410	210	300	20	5	50	(15)20	3250	1900	2500	9500
KBR 2040	200	10 x 2500 8 x 3000 6 x 4000	220 x 4000	3000	200	410	210	300	20	5	350	(15)20	4250	1900	2500	10500

KBR 3030	300	12 x 3000 16 x 2500	300 x 3000	2500	200	410	210	300	19	5	30	(18.75)25	3250	2000	2800	12000
KBR 3040	300	10 x 4000 12 x 3000 16 x 2500	300 x 4000	3000	200	410	210	300	19	5	30	(18.75)25	4250	2000	2800	15000
KBR 4040	400	12 x 4000 16 x 3000 20 x 2500	300 x 4000	3000	250	500	250	300	20	5	40	(30)40	4250	2010	3700	16000
KBR 5040	500	20 x 4000	300 x 4000	3000	250	550	300	300	26	6	46	(37.5)50	4650	2050	3150	27000